



TONDA ES 180

Part number GW80651



Description

Compact watertight lamp, entirely made of polycarbonate and suitable for indoor and outdoor applications

- It is characterized by high shock resistance and electrical safety, with double feeding terminals: at the bottom or at the side of the luminaire

Product data

ETIM Group:	EG000027	ETIM Class:	EC0028g2
-------------	----------	-------------	----------

General information

Lampholder:	E27	Light source:	
Colour / Finishing:	GR-RAL7035 / Grey RAL7035	IP degree of protection:	IP44
Impact resistance / impact energy:	IK10 20J xx9	Protection class:	II
Optic:	TRNSP - Symmetric	Net weight [kg]:	250.1
Overall diameter [mm]:	180	Overall height [mm]:	105

Mechanical features

Housing material:	Plastic	Diffuser material:	Plastic
Glow wire test [°C]:	850 °C		

Electrical features

Voltage type:	AC	Input voltage [V AC]:	220/240
Input frequency [Hz]:	50/60		


Installation

Application area:	Outdoor lighting	Mounting type:	Bulkhead
Min. ambient temperature [°C]:	0		

Light features

Distribution of light emission:	Direct
---------------------------------	--------

Photometric data



To maintain the regular updating of our products, PERFORMANCE iN LIGHTING reserves the right to make changes without prior notice. For the most up to date information we always recommend you read the latest version published on the website www.performanceinlighting.com. Delivered luminaire lumen outputs and power consumptions, including losses, are subject to a tolerance of +/- 7%, and unless otherwise stated the values apply to an ambient temperature of 25°C. Terms of warranty are available at <https://www.performanceinlighting.com/qr/company/led-warranty>

For information:
GEWISS Romania SRL
Sos. Pipera, Nr. 46D-46E-48, Oregon Park, Cladirea B, Etaj 5
Sector 2, Bucuresti
Tel. +40 31 4370 650

gewiss-ro@gewiss.com
www.performanceinlighting.com