


Tracks/channels



Code 0.02452.0012

Physical features

Finishing: Embossed matt white (Standard)

Length: 3000mm

Weight: 2.1Kg

Description: Accessories: drivers to be ordered separately.

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Reggiani SPA Illuminazione

Viale Monza, 16 20845 Sovico (MB) Italy
Tel. (+39) 039 2071.1 fax (+39) 039 2071 999

www.reggiani.net
contact@reggiani.net

Tracks/channels

Driver



Code 0.31655.0000 - Driver

Type: On-Off

Description:



Code 0.31656.0000 - Driver

Type: On-Off

Description:



Code 0.31650.0000 - Driver

Type: On-Off

Description:




Code 0.31657.0000 - Driver

Type: On-Off

Description: Available on request


Tracks/channels

Accessories




Code 0.02404.0010 - Flexible feeding connector for 90° corner

Finishing: White (Standard)



Code 0.02404.0021 - Flexible feeding connector for 90° corner



Finishing: Black (Standard)



Code 0.02453.0012 - End cap

Type: Structural



Finishing: Embossed matt white (Standard)



Code 0.02453.0031 - End cap

Type: Structural



Finishing: Embossed matt black (Standard)



Code 0.02454.0012 - End cap with cable hole

Type: Structural

Finishing: Embossed matt white (Standard)



Code 0.02454.0031 - End cap with cable hole


Type: Structural

Finishing: Embossed matt black (Standard)

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).


Tracks/channels

Accessories




Code 0.02484.0010 - Feeding connector for 90° corner

Type: Electrical
Finishing: White (Standard)




Code 0.02484.0021 - Feeding connector for 90° corner

Type: Electrical
Finishing: Black (Standard)




Code 0.02485.0010 - End feed

Type: Electrical
Finishing: White (Standard)




Code 0.02485.0021 - End feed

Type: Electrical
Finishing: Black (Standard)



Code 0.02486.0010 - Straight feeding connector

Type: Electrical
Finishing: White (Standard)




Code 0.02486.0021 - Straight feeding connector

Type: Electrical
Finishing: Black (Standard)

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Tracks/channels

Accessories




Code 0.26104.0010 - Wireless control device for 48V track

Type: Electrical

Finishing: White (Standard)

Description: Casambi - controls up to 64 drivers divided in 4 groups




Code 0.26104.0021 - Wireless control device for 48V track

Type: Electrical

Finishing: Black (Standard)

Description: Casambi - controls up to 64 drivers divided in 4 groups




Code 0.26105.0010 - Wireless control device for 48V track

Type: Electrical

Finishing: White (Standard)

Description: Control up to 64 drivers individually - available from March 2019



Code 0.26105.0021 - Wireless control device for 48V track

Type: Electrical

Finishing: Black (Standard)

Description: Control up to 64 drivers individually - available from March 2019