



### Tracks/channels



**Code 0.02457.0031**

#### Physical features

**Finishing:** Embossed matte black

**Length:** 3000mm

**Weight:** 2.1Kg


**Description:** Accessories: drivers to be ordered separately

For installations with Yori Evo 48V and Yori Pendant 48V with dimmer on board, use P.31656.0000 DRIVER 48Vdc or P.31650.0000 DRIVER 48Vdc 150W.

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Tracks/channels

## Driver




### Code 0.31655.0000 - Driver

Type: On-Off

Watt: 50W - AC Input: 220-240VaC - mA:mA

Description: For more details, see the driver datasheet.




### Code 0.31656.0000 - Driver

Type: On-Off

Watt: 100W - AC Input: 220-240VaC - mA:mA

Description: For more details, see the driver datasheet.



### Code 0.31650.0000 - Driver

Type: On-Off

Watt: 150W - AC Input: 220-240VaC - mA:mA

Description: For more details, see the driver datasheet.




### Code 0.31657.0000 - Driver

Type: On-Off

Watt: 250W - AC Input: - mA:mA

Description: For more details, see the driver datasheet.




### Code 0.30550.0000 - In-Track Driver

Type: On-Off

Watt: 100W - AC Input: 220-240VaC - mA:mA

Description: For more details, see the driver datasheet.



### Code D.30550.0000 - In-Track Driver

Type: DALI


Watt: 100W - AC Input: 220-240VaC - mA:mA

Description: For more details, see the driver datasheet.

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).


Tracks/channels

## Accessories




**Code 0.02064.0000 - Cutting tool for track conductors**

Type: Mounting  
Finishing: Without finish / Natural aluminium




**Code 0.02404.0010 - Flexible feeding connector for 90° corner**

Type: Electrical  
Finishing: White




**Code 0.02404.0021 - Flexible feeding connector for 90° corner**

Type: Electrical  
Finishing: Black




**Code 0.02407.0000 - Wire suspension set with 3000mm cable**

Type: Structural  
Finishing: Without finish / Natural aluminium  
Description: Cylinder ceiling rose, short bracket with gripper for rapid cable Ø1,5mm installation



**Code 0.02408.0000 - Wire suspension set with 5000mm cable**

Type: Structural  
Finishing: Without finish / Natural aluminium  
Description: Cylinder ceiling rose, long bracket with gripper for rapid cable Ø1,5m installation




**Code 0.02409.0000 - Wire suspension set with 3000mm cable**

Type: Structural  
Finishing: Without finish / Natural aluminium  
Description: Cylinder ceiling rose, long bracket with gripper for rapid cable Ø1,5m installation

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Tracks/channels

## Accessories




### Code 0.02410.0000 - Wire suspension set with 5000mm cable

Type: Structural

Finishing: Without finish / Natural aluminium


Description: Cylinder ceiling rose, long bracket with gripper for rapid cable Ø1,5m installation



### Code 0.02415.0010 - Bracket for surface-mounting

Type: Mounting


Finishing: White



### Code 0.02415.0021 - Bracket for surface-mounting

Type: Mounting


Finishing: Black



### Code 0.02425.0010 - 48V track cover

Type: Structural


Finishing: White



### Code 0.02425.0021 - 48V track cover

Type: Structural

Finishing: Black



### Code 0.02427.0010 - T joint


Type: Electrical

Finishing: White

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).



Tracks/channels

## Accessories





**Code 0.02427.0021 - T joint**

Type: Electrical  
Finishing: Black




**Code 0.02428.0010 - X joint**

Type: Electrical  
Finishing: White




**Code 0.02428.0021 - X joint**

Type: Electrical  
Finishing: Black





**Code 0.02449.0012 - 90° corner**

Type: Structural  
Finishing: Embossed matte white



**Code 0.02449.0031 - 90° corner**

Type: Structural  
Finishing: Embossed matte black





**Code 0.02458.0012 - End cap**

Type: Structural  
Finishing: Embossed matte white

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).


Tracks/channels

## Accessories




### Code 0.02458.0031 - End cap

Type: Structural  
Finishing: Embossed matte black




### Code 0.02459.0012 - End cap with cable hole

Type: Structural  
Finishing: Embossed matte white




### Code 0.02459.0031 - End cap with cable hole

Type: Structural  
Finishing: Embossed matte black




### Code 0.02473.0010 - Suspension kit with 2-m long wire and counter-balance system

Type: Mounting  
Finishing: White



### Code 0.02473.0021 - Suspension kit with 2-m long wire and counter-balance system

Type: Mounting  
Finishing: Black




### Code 0.02479.0000 - Short bracket for suspension

Type: Structural  
Finishing: Without finish / Natural aluminium

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).

Tracks/channels


## Accessories



**Code 0.02482.0000 - Long bracket for suspension**

Type: Structural


Finishing: Without finish / Natural aluminium



**Code 0.02484.0010 - Feeding connector for 90° corner**

Type: Electrical


Finishing: White



**Code 0.02484.0021 - Feeding connector for 90° corner**

Type: Electrical


Finishing: Black



**Code 0.02485.0010 - End feed**

Type: Electrical


Finishing: White



**Code 0.02485.0021 - End feed**

Type: Electrical

Finishing: Black



**Code 0.02486.0010 - Straight feeding connector**


Type: Electrical

Finishing: White

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).



Tracks/channels

## Accessories




**Code 0.02486.0021 - Straight feeding connector**

Type: Electrical  
Finishing: Black




**Code 0.02488.0010 - Tige for track**

Type: Structural  
Finishing: White




**Code 0.02488.0021 - Tige for track**

Type: Structural  
Finishing: Black





**Code 0.02520.0010 - Suspension kit with 1m tige**

Type: Structural  
Finishing: White



**Code 0.02520.0021 - Suspension kit with 1m tige**

Type: Structural  
Finishing: Black



**Code 0.02563.0012 - Mechanical T-joint**



Finishing: Embossed matte white

Luminaire constructed in conformity with Directives 2014/35/EU (LV), 2014/30/EU (EMC), 2009/125/EC (Ecodesign) with Regulations (EC) No 245/2009, (EU) No 347/2010 and (EU) 2015/1428 (for luminaires with fluorescent and metal halide lamps only), 2009/125/EC (Ecodesign) with Regulations (EU) No 1194/2012 and 2015/1428 (for LED luminaires only), 2011/65/EU (RoHS 2) and 2012/19/EU (WEEE).





Tracks/channels

## Accessories





**Code 0.02563.0031 - Mechanical T-joint**

Finishing: Embossed matte black



**Code 0.02564.0012 - Mechanical X-joint**

Finishing: Embossed matte white



**Code 0.02564.0031 - Mechanical X-joint**

Finishing: Embossed matte black