



Imaginile sunt doar cu titlu informativ

Eaton O-ES-CG-S

Eaton VeLos PSU Mains with V-CG-S2

Specificații generale

PRODUCT NAME	Eaton Velos LED CPS Emergency luminaire
CATALOG NUMBER	O-ES-CG-S
EAN	5205050905410
PRODUCT LENGTH/DEPTH	346 mm
PRODUCT HEIGHT	50 mm
PRODUCT WIDTH	69 mm
PRODUCT WEIGHT	0.28 kg
CERTIFICATIONS	CE

Specificații produs

BATTERY QUALITY	Other
PROTECTION CLASS	II
OUTDOOR USE COMPLIANCE	True
DEGREE OF PROTECTION	IP20
LAMP TYPE	LED not exchangeable
WITH LIGHT SOURCE	True
LAMP HOLDER	None
TYPE OF INDICATOR	Single/double-sided
MONITORING EQUIPMENT	Safety module for monitoring (central feeded system)
POWER SUPPLY SYSTEM	Central (central battery)
VOLTAGE TYPE	AC
POWER FACTOR	0.6
WITH REMOTE SWITCH CONNECTION	False
CONDUCTOR CROSS SECTION	2.5
MAX. SYSTEM POWER	4.5 W
RATED LIFE TIME L70/B10 AT 25 °C	25 hour
RATED LIFE TIME L70/B50 AT 25 °C	25 hour
RATED LIFE TIME L80/B10 AT 25 °C	18.05555556 hour
RATED LIFE TIME L80/B50 AT 25 °C	13.88888889 hour
TYPE OF CONTROL GEAR	LED operating device current-controlled
TYPE OF WIRING	Through wiring included
MATERIAL HOUSING	Plastic
COLOR HOUSING	White
MATERIAL COVER	Plastic, transparent
LABELLING TYPE	Other
PICTOGRAM INCLUDED	False
NUMBER OF POLES (NUMERIC)	2
IMPACT STRENGTH	IK03
LIGHT DISTRIBUTOR	Diffuser lens/optic/panel
FUNCTION	Escape route signage
LUMINAIRE WITH LIMITED SURFACE TEMPERATURE, SIGN D	False
NUMBER OF LIGHTING	1

Resurse

HEADS

**SUITABLE FOR NUMBER
OF LAMPS** 1

DENUMIREA PROIECTULUI:

NUMĂRUL PROIECTULUI:

PREGĂTIT DE:

DATA:



Eaton Corporation plc Eaton House
30 Pembroke Road
Dublin 4, Irlanda
Eaton.com

© 2026 Eaton. Toate drepturile rezervate

Urmăriți-ne pe rețelele de socializare
pentru a obține cele mai noi
informații despre produse și
asistență.

